

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	58	(US-20010009366-\$ or US-20020158628-\$ or US-20020166421-\$ or US-20020167306-\$ or US-20040056651-\$ or US-20040113610-\$).did. or (US-3538762-\$ or US-3849724-\$ or US-3902114-\$ or US-4000448-\$ or US-4033042-\$ or US-4203691-\$ or US-4271763-\$ or US-4295118-\$ or US-4329771-\$ or US-4396322-\$ or US-4401945-\$ or US-4408933-\$ or US-4483219-\$ or US-4488113-\$ or US-4618823-\$ or US-4657451-\$ or US-4673827-\$ or US-4833405-\$ or US-4878020-\$ or US-4912406-\$ or US-4950986-\$ or US-4950987-\$ or US-4979354-\$ or US-5041785-\$ or US-5045920-\$ or US-5313845-\$). did. or (US-5514952-\$ or US-5521497-\$ or US-5934543-\$ or US-6060880-\$ or US-6060969-\$ or US-6174113-\$ or US-6175233-\$ or US-6278270-\$ or US-6375168-\$ or US-6414482-\$ or US-6441610-\$ or US-6476600-\$ or US-6479987-\$ or US-6600310-\$ or US-6670805-\$ or US-6681659-\$ or US-6691391-\$ or US-6789570-\$).did. or (US-3548649-\$).did. or (FR-2785215-\$).did. or (JP-06031559-\$ or JP-06339825-\$ or JP-07186063-\$ or JP-57059105-\$ or JP-57156150-\$ or JP-61178131-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/10 09:11
L9	5	L8 AND screwdriver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/10 09:13
L10	356	screwdriver WITH screw WITH (contact OR touch)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/10 09:14
L11	356	(screwdriver WITH screw WITH (contact OR touch))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2005/03/10 09:14
L12	5	("2571265" "3841193" "5030052" "5827031").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/10 09:17
L13	4	("4483219").URPN.	USPAT	OR	ON	2005/03/10 09:21

L14	5	("4562756").URPN.	USPAT	OR	ON	2005/03/10 09:26
S1	369	screwdriver SAME screw SAME align	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:02
S2	2536	"324"/\$.ccls. AND alignment AND magnet	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:28
S3	875	"324"/\$.ccls. AND alignment AND magnet AND sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:29
S4	786	"324"/\$.ccls. AND alignment AND magnet AND sensor AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:32
S5	4189	324/207.11,207.12,207.2,207.21,207.22,207.23,207.24,207.25,260,261.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 12:58
S6	484	S5 AND alignment	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:38
S7	70	alignment.ti. AND screwdriver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:46
S8	5	"3965950".pn. "4140161".pn. "2625967".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:50
S9	422	81/451.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:50
S10	175	81/451.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 14:51
S11	8850	screw WITH align	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:07
S12	160	screw WITH align WITH driver	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:07

S13	50	S5 AND (shaft WITH alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:44
S14	32	("3190125" "3307164" "3538762" "3548649" "3641535" "3827807" "3863235" "3876326" "4033042" "4199718" "4488443" "4518917" "4590806" "4627724" "4630033" "4737709" "4746859" "4764767" "4810965" "4833405" "4899596" "4924180" "5086272" "5182953" "5192862" "5228349" "5313845").PN. OR ("5514952").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 15:33
S15	1	"6691391".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 15:33
S16	6	("3052955" "5495660" "5699600" "5758408" "5761794").PN. OR ("6691391"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/08 15:38
S17	14	S5 AND (shaft WITH align)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:44
S18	7	S5 AND (shaft WITH align) NOT S13	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:44
S19	600	324/228.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:48
S20	42	S19 AND (align OR alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/08 15:49
S21	14	("3419798" "3662576").PN. OR ("3902114").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 10:02
S22	888	screwdriver AND hall	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:33
S23	115	screwdriver AND ((hall OR MR or magneto\$) ADJ2 sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 10:02

S24	167	324/207.23.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:09
S25	19	("3777255" "4000448" "4203691" "4329771" "4396322" "4401945" "4408933" "4440530").PN. OR ("4657451"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 11:07
S26	2	("4408933").URPN.	USPAT	OR	ON	2004/12/09 11:27
S27	2	("4408933").URPN.	USPAT	OR	ON	2004/12/09 11:28
S28	11	("4657451").URPN.	USPAT	OR	ON	2004/12/09 11:28
S29	2031	"contact" ADJ detector	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:44
S30	413	("contact" ADJ detector) AND magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 12:28
S31	443	324/207.17.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 12:50
S32	188	324/207.17.ccls. AND @ad<="20020921" AND contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 13:02
S33	258	324/207.24.ccls. AND @ad<="20020921" AND contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 13:03
S34	4780	screwdriver SAME contact	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:33
S35	1049	screwdriver WITH contact	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:33
S36	318	screwdriver WITH contact WITH screw	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:41
S37	0	81/57.4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:41
S38	185	81/57.4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 13:47

S39	225	81/57.24.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 14:41
S40	272	81/54.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 14:42
S42	11	("4657451").URPN.	USPAT	OR	ON	2004/12/09 14:55
S43	2	("4408933").URPN.	USPAT	OR	ON	2004/12/09 14:59
S44	1	("4203691").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 14:59
S45	22	("4401945").URPN.	USPAT	OR	ON	2004/12/09 15:01
S46	316	324/207.26.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:58
S47	133	324/207.26.ccls. AND @ad<="20020921" AND contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:11
S48	3	("6060880").URPN.	USPAT	OR	ON	2004/12/09 15:19
S49	5	("3440527" "3568180" "4229696" "4897914").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:19
S50	6	("5521497").URPN.	USPAT	OR	ON	2004/12/09 15:26
S51	6	("4517514" "4555120" "4783089" "4853630" "5045785" "5142225").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/09 15:26
S52	2055	"contact" ADJ detecting	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:44
S53	338	"contact" ADJ detecting AND magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:44
S54	183	S46 NOT contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/09 15:58
S55	0	("6657427").URPN.	USPAT	OR	ON	2004/12/10 09:26
S56	10	("3434670" "3848814" "3898562" "4454991" "4627578" "4727322" "4820980" "4878020" "5691636").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:26

S57	15	("4241337" "4292615" "4295118" "5541562" "5554964" "5578977" "5646587" "5673314" "5698090" "5698909" "5801529" "5902004").PN. OR ("6060969").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:37
S58	15	("3777273" "4361805" "4535289" "4665362" "4810965" "4837539" "5231352" "5313182" "5325869" "5493216" "5521497" "5617023" "5670876" "6060969" "6411081").PN. OR ("6670805").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 09:41
S59	6	("5521497").URPN.	USPAT	OR	ON	2004/12/10 09:45
S60	16	("2903645" "3440527").PN. OR ("4229696").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 10:37
S61	23	US-4460076-\$.DID. OR US-4463698-\$.DID. OR US-4470027-\$.DID. OR US-1181161-\$.DID. OR US-4184519-\$.DID. OR US-4489225-\$.DID. OR US-4496925-\$.DID. OR US-4496864-\$.DID. OR US-4508981-\$.DID. OR US-4527027-\$.DID. OR US-4516753-\$.DID. OR US-4547730-\$.DID. OR US-4548522-\$.DID. OR US-1551694-\$.DID. OR US-4561632-\$.DID. OR US-4571789-\$.DID. OR US-4577069-\$.DID. OR US-1593231-\$.DID. OR US-4595426-\$.DID. OR US-4599846-\$.DID.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 10:42

S62	264	US-0571187-\$.DID. OR US-4319822-\$.DID. OR US-0567292-\$.DID. OR US-1327133-\$.DID. OR US-0498131-\$.DID. OR US-4442418-\$.DID. OR US-0451187-\$.DID. OR US-4449836-\$.DID. OR US-0455829-\$.DID. OR US-4522371-\$.DID. OR US-0543713-\$.DID. OR US-4534375-\$.DID. OR US-0616J13-\$.DID. OR US-4604670-\$.DID. OR US-0176033-\$.DID. OR US-4610128-\$.DID. OR US-0605197-\$.DID. OR US-1763092-\$.DID. OR US-0133740-\$.DID. OR US-1805633-\$.DID. OR US-0112337-\$.DID. OR US-4823621-\$.DID. OR US-0442448-\$.DID. OR US-1825709-\$.DID. OR US-0415032-\$.DID. OR US-1840183-\$.DID. OR US-0483951-\$.DID. OR US-4875199-\$.DID. OR US-0498393-\$.DID. OR US-4930030-\$.DID. OR US-RE03467-\$.DID. OR US-4947887-\$.DID. OR US-0569158-\$.DID. OR US-4992768-\$.DID. OR US-0579889-\$.DID. OR US-5185587-\$.DID. OR US-0608105-\$.DID. OR US-5223681-\$.DID. OR US-0632102-\$.DID. OR US-5278373-\$.DID. OR US-0183958-\$.DID. OR US-5297418-\$.DID. OR US-0553259-\$.DID. OR US-5300908-\$.DID. OR US-0538786-\$.DID. OR US-5313342-\$.DID. OR US-0552150-\$.DID. OR US-5399966-\$.DID. OR US-0586421-\$.DID. OR US-5416291-\$.DID. OR US-0608773-\$.DID. OR US-5418343-\$.DID. OR US-0434641-\$.DID. OR US-5431165-\$.DID. OR US-0436300-\$.DID. OR US-5432437-\$.DID. OR US-0442802-\$.DID. OR US-5466903-\$.DID. OR US-0116685-\$.DID. OR US-5473298-\$.DID. OR US-0496895-\$.DID. OR	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 12:50
-----	-----	---	------------------------------	----	----	------------------

S63	2586	touch ADJ sensor	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 14:26
S64	696	S63 and (magnet OR magnetic)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 12:52
S65	100	S63 and (magnet OR magnetic) AND (hall or mr or magneto-resistive)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/10 12:53
S66	1365	324/207.2,207.21.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:53
S67	514	S66 AND contact	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 13:37
S68	180	(screw WITH tighten\$) SAME program	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 13:50
S69	290	81/463.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 13:50
S70	142	81/463.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:02
S71	443	324/207.17.ccls. AND @ad<="20020921"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:02
S72	8	("4000448").URPN.	USPAT	OR	ON	2004/12/10 14:19
S73	3	"605252"	US-PGPUB	OR	ON	2004/12/10 14:53
S74	102	hall WITH diode	US-PGPUB	OR	ON	2004/12/10 14:55
S75	1	S66 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:53
S76	970	hall WITH diode	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:55
S77	1	S66 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 14:56

S78	17	S66 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 15:56
S79	10758	"fine tune"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 15:56
S80	3737	"fine tune" AND metal	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 15:57
S81	68	"fine tune" AND metal AND (hard ADJ drive)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/12/10 15:57